

Crush Keyboard Shortcuts

Mac · Windows · Linux — free printable reference from linuru.com

Starting & Core Keys

Action	Mac	Windows	Linux
Install with Homebrew	<code>brew install charmbracelet/tap/crush</code>	<code>winget install charmbracelet.crush</code>	<code>brew install charmbracelet/tap/crush</code>
Install with npm	<code>npm install -g @charmland/crush</code>	<code>npm install -g @charmland/crush</code>	<code>npm install -g @charmland/crush</code>
Install from source (Go)	<code>go install github.com/charmbracelet/crush@latest</code>	<code>go install github.com/charmbracelet/crush@latest</code>	<code>go install github.com/charmbracelet/crush@latest</code>
Start Crush in the current project	<code>crush</code>	<code>crush</code>	<code>crush</code>
Send the current message	<code>Enter</code>	<code>Enter</code>	<code>Enter</code>
Add a new line without sending	<code>Shift + Enter</code>	<code>Shift + Enter</code>	<code>Shift + Enter</code>
Add a new line (works in every terminal)	<code>Ctrl + J</code>	<code>Ctrl + J</code>	<code>Ctrl + J</code>
Quit Crush	<code>Ctrl + C</code>	<code>Ctrl + C</code>	<code>Ctrl + C</code>
Suspend Crush to the shell	<code>Ctrl + Z</code>	<code>Ctrl + Z</code>	<code>Ctrl + Z</code>
Move focus between panes	<code>Tab</code>	<code>Tab</code>	<code>Tab</code>
Expand the help bar to see more keys	<code>Ctrl + G</code>	<code>Ctrl + G</code>	<code>Ctrl + G</code>
Cancel the current action	<code>Esc</code>	<code>Esc</code>	<code>Esc</code>

Palette, Models & Sessions

Action	Mac	Windows	Linux
Open the command palette — the main way around Crush	<code>Ctrl + P</code>	<code>Ctrl + P</code>	<code>Ctrl + P</code>
Open the model picker and switch provider mid-session	<code>Ctrl + L</code>	<code>Ctrl + L</code>	<code>Ctrl + L</code>
Open the model picker (alternate binding)	<code>Ctrl + M</code>	<code>Ctrl + M</code>	<code>Ctrl + M</code>
Browse and switch sessions	<code>Ctrl + S</code>	<code>Ctrl + S</code>	<code>Ctrl + S</code>
Start a new session	<code>Ctrl + N</code>	<code>Ctrl + N</code>	<code>Ctrl + N</code>
Toggle YOLO mode (auto-approve everything)	<code>Ctrl + Y</code>	<code>Ctrl + Y</code>	<code>Ctrl + Y</code>
Toggle the details panel	<code>Ctrl + D</code>	<code>Ctrl + D</code>	<code>Ctrl + D</code>
Toggle the task list	<code>Ctrl + T</code>	<code>Ctrl + T</code>	<code>Ctrl + T</code>

Writing the Prompt

Action	Mac	Windows	Linux
Compose in your external editor	Ctrl + O	Ctrl + O	Ctrl + O
Mention a file to pull it into context	@	@	@
Open the commands menu from the input box	/	/	/
Attach an image	Ctrl + F	Ctrl + F	Ctrl + F
Paste an image from the clipboard	Ctrl + V	Ctrl + V	Ctrl + V
Step back through your previous prompts	↑	↑	↑
Delete the attachment at position i	Ctrl+R then {i}	Ctrl+R then {i}	Ctrl+R then {i}
Delete every attachment	Ctrl+R then R	Ctrl+R then R	Ctrl+R then R

Reading the Chat (Vim-Style)

Action	Mac	Windows	Linux
Move down one line	j	j	j
Move up one line	k	k	k
Jump down one whole message	Shift + ↓	Shift + ↓	Shift + ↓
Jump up one whole message	Shift + ↑	Shift + ↑	Shift + ↑
Half page down	d	d	d
Half page up	u	u	u
Full page down	f	f	f
Full page up	b	b	b
Jump to the top of the conversation	g	g	g
Jump to the newest message	Shift + G	Shift + G	Shift + G
Expand or collapse the selected block	Space	Space	Space
Copy the selection	y	y	y
Clear the selection	Esc	Esc	Esc
Scroll wide output left	Shift + ←	Shift + ←	Shift + ←
Scroll wide output right	Shift + →	Shift + →	Shift + →
Focus the sidebar	l	l	l
Focus the chat	h	h	h

Command Palette Actions

Action	Mac	Windows	Linux
Analyze the project and create its context file	Initialize Project	Initialize Project	Initialize Project
Start a fresh session	New Session	New Session	New Session

Action	Mac	Windows	Linux
Switch to another saved session	Sessions	Sessions	Sessions
Change the model	Switch Model	Switch Model	Switch Model
Set how hard the model thinks	Select Reasoning Effort	Select Reasoning Effort	Select Reasoning Effort
Compact the conversation to free up context	Summarize Session	Summarize Session	Summarize Session
Browse files to attach	Open File Picker	Open File Picker	Open File Picker
Compose in your external editor	Open External Editor	Open External Editor	Open External Editor
Show or hide the sidebar	Toggle Sidebar	Toggle Sidebar	Toggle Sidebar
Show or hide the full key list	Toggle Help	Toggle Help	Toggle Help
Turn auto-approval on or off	Toggle Yolo Mode	Toggle Yolo Mode	Toggle Yolo Mode
Turn the Docker MCP catalog on or off	Enable Docker MCP Catalog	Enable Docker MCP Catalog	Enable Docker MCP Catalog
Quit Crush	Quit	Quit	Quit